

Date: 03.02.14.

**Corrigendum – I**

**Tender No. WTL/CT/IP/13-14/010 dated 20.01.14.**

<b>Sl. No.</b>	<b>Section</b>	<b>Clause No.</b>	<b>Page No.</b>	<b>Present Entry</b>	<b>Replace with</b>
1.	K		31	200 Nos. Software for PC based Soft Phone	Point to be deleted
2.	K		31	Unified Communication License for e-mail migration with IBM Lotus Notes	Unified Communication License for e-mail integration with IBM Lotus Notes
3.	L		32	The offered duplicated server based system should be able to cater to 2000 IP users without adding more servers.	The offered duplicated server based system should be able to cater to 3000 IP users without adding more servers.
4.	L		32	Each of the communication server shall have minimum 1 TB HDD	Each of the communication server shall have minimum 300GB HDD
5.	L		32	Total Minimum of 08 gigabit LAN interfaces	Total Minimum of 04 gigabit LAN interfaces
6.	L		32	RP (Redundant Power) and RB (Redundant backup) is mandatory.	RP (Redundant Power) is mandatory.
7.	L		32	Indicator LCD display panel for status of the Servers	Point to be deleted
8.	L		32	The IP gateway must not have any embedded server or CPU or motherboard	Point to be deleted
9.	L		33	Network-wide Direct Station	Network-wide Direct Station or equivalent feature
10.	L		33	Deactivation of Secretarial Intercept	Deactivation of Secretarial Intercept or equivalent feature
11.	L		33	Enable/Disable Second Call Feature	Enable/Disable Second Call Feature or equivalent feature

12.	L		33	Timed Reminder Service	Timed Reminder Service or equivalent feature
13.	L		33	Auto Setting and Relocating	Auto Setting and Relocating or equivalent feature
14.	L		33	Direct Station Selection	Direct Station Selection or equivalent feature
15.	L		33	PIN Functions (Input Priorities, Several PINs at one home station, PIN users without home station, Identical PINs)	PIN Functions (Input Priorities, Several PINs at one home station, PIN users without home station, Identical PINs) or equivalent feature
16.	L		34	The IP PBX shall support future up-gradation of all users configured as unified communication users. The unified communication application shall ensure user presence, call journals, call directories, conferences (meet-me or blast dial), instant messenger, voicemails, faxes, sms etc can integrated into a single email client like MS Outlook/Lync, IBM Lotus Notes etc. The system shall inherently be configured to support unified voice mail facility for all from day one. The Voicemail must not be an appliance based standalone voicemail but needs to be mandatorily part of the unified communication offering capable for expansion to a full fledged UC capability with features as mentioned above. Simultaneous access to the Unified Messaging Server's Voice Mail box must be initially configured for 16 IP channels and expandable to 30 IP channels.	The IP PBX shall support future up-gradation of all users configured as unified communication users. The unified communication application shall ensure user presence, call journals, call directories, conferences (meet-me or blast dial), instant messenger, voicemails, faxes, sms etc can integrated into a single email client like MS Outlook/Lync, IBM Lotus Notes etc. The system shall inherently be configured to support unified voice mail facility for all from day one. The Voicemail must not be an appliance based standalone voicemail but needs to be mandatorily part of the unified communication offering capable for expansion to a full fledged UC capability with features as mentioned above. Simultaneous access to the Unified Messaging Server's Voice Mail box must be initially configured for 16 IP channels and expandable to 30 IP channels with 200 mail box from day one.
17.	L		34	5 line tiltable LCD Display with adjustable display contrast	3 line tiltable LCD Display

18.	L		34	Store 500 contacts in a phone book along with various options	Store address book of entire system along with various options
19.	L		34	4 way Navigation keys that makes the phone easy to use	2 way Navigation keys that makes the phone easy to use
20.	L		35	Supported voice codecs -: G.711a/u, G.723, G.729, G.722	Supported voice codecs -: G.711a/u, G.729 & G.722
21.	L		35	Support Nat transversal: STUN function	Point to be deleted
22.	L		35	Support DMZ, PPTP	Point to be deleted
23.	L		35	Support POE power supply, Meet IEEE802.3af standard PD: 0	Support POE power supply, Meet IEEE802.3af standard PD
24.	L		35	Support WAN and LAN port, 10/100Base-T RJ-45	Support LAN port, 10/100Base-T RJ-45
25.	The hand copy of total set of Technical/Techno Commercial documents uploaded in e-Tender site to be submitted at office premises of Webel Technology Ltd. before opening of Technical Bid.				
26.	Date & time of Bid Submission extended to 10 <sup>th</sup> February 2014 at 14.00 Hrs.				
27.	Date & time of Bid Opening extended to 12 <sup>th</sup> February 2014 at 14.00 Hrs.				
28.	Date & time of Submission of Tender Document Fee & EMD extended to 12 <sup>th</sup> February 2014 at 13.00 Hrs.				
29.	BOQ has been revised due to change in BOM.				